
BLOOD TESTS



EVIDENTIARY
&
INDEPENDENT

VFL BLOOD TEST KITS



Evidentiary Kit



Independent Kit




23 VSA 1202 (2) - Blood tests.

"If breath testing equipment is not reasonably available or if the officer has reasonable grounds to believe that the person is unable to give a sufficient sample of breath for testing or if the law enforcement officer has reasonable grounds to believe that the person is under the influence of a drug other than alcohol, the person is deemed to have given consent to the taking of an evidentiary sample of blood"

23 VSA 1202 (2)

"If in the officer's opinion the person is incapable of decision or unconscious or dead, it is deemed that the person's consent is given"

Evidentiary Blood Test Kit





- **✓ Kit Expiration Date**
- √ Record Kit # (lot #)



EVIDENTIARY BLOOD TEST KIT CONTENTS



- Mailer box
- Plastic specimen bag
- Foam holder
- Vacutainer and needle
- lodine prep pad
- 3 blood test tubes

- 3 tube seals
- 2 foam seals
- 2 evidence seals
- Request form
- Instruction form
- FDA Insert

VERMONT FORENSIC PASORATORY

VERMONT FORENSIC LABORATORY

PO BOX 47 WATERBURY, VERMONT 05676-0047 TEL: 802-244-8788 FAX: 802-241-5557 http://vfl.vermont.gov

LAB USE ONLY	VFL #:	
Received By:	Date:	Time:
□ Cert Mail #		
□ Hand Carried □ Other	Evidence Locker	

REQUE	ST FOR ANALYSI	IS FOR ALCOHOL/D	RUGS IN BLOOD
Subject Name: (Last, First)	DOB:	Male Female	Case Number:
Collection Date:	Collection Tim	ne:	Collection Facility:
Collected By: (print name)	Signature:		Witness Signature:
Investigating Officer:			
Agency:			
Address:			
Town:	State:	Zip:	County:
Phone:	E-Mail:		
Alcohol Cannabinoids NMS Panel #8150B (D NMS Panel #8756B (B Other:	Orug Impaired Driving	Panel) NM	nzodiazepines Cocaine S Panel #8152B (Drug Screen Add-On) S Panel #8077B (Inhalants Add-On)
DRUG REQUESTS ONLY If there has been no DRE eval before samples can be forwarde	luation, an authorizati	on from the requesting la	w enforcement agency MUST be obtained
			sted analysis and I am requesting that the ualified forensic laboratory for analysis to
The signature below authorizes performing the tests.	the requested testing of	of the referenced blood sa	imple and assures payment to the laboratory
Name:		Signature:	
Position of authority for expend	liture:		

Evidentiary Blood Kit

- 1. Break kit integrity seal and open box
- 2. Fill out all forms and seals.
- 3. Have phlebotomist fill tubes as full as possible.
- 4. Once tubes are filled, seal tubes with evidence labels.
- 5. Place tubes in styrofoam kit.
- 6. Seal styrofoam kit with white labels.
- 7. Place styrofoam kit in specimen bag.
- 8. Place competed form in sleeve on specimen bag.
- 9. Place bag/foam in cardboard box.
- 10. Seal box with RED evidence tape.
- 11. Mail kit CERTIFIED to VFL or hand deliver it. If not mailing immediately, refrigerate (NOT with food).

THINGS TO REMEMBER...

- ✓ Seals for tubes, kit and box
- √ Complete and legible request form for analysis
 - ✓ If requesting drug analysis, get signature authorizing expenditure
 - ✓ Request form into outside bag pocket
 - ✓ Mail (certified) or hand deliver to VFL

✓DO NOT USE INDEPENDENT KITS FOR EVIDENTIARY PURPOSES

✓DO NOT GIVE SUSPECTS EVIDENTIARY KITS FOR INDEPENDENT USE

INDEPENDENT BLOOD TESTS

23 VSA 1203a.

"A person tested has the right at the person's own expense to have someone of the person's own choosing administer a chemical test"

"If after reasonable efforts the person is unable to arrange transportation necessary to obtain the blood test upon completion of processing, the law enforcement officer shall provide or arrange transportation"

INDEPENDENT BLOOD KIT CONTENTS



- Mailer box
- Cardboard tube holder
- Specimen Bag
- Test Tube
- Evidence Seals
- Sampling request form
- Analysis request form
- Instruction sheet
- FDA Insert